



PIC Type	M7i	M10i	M40e		M120			M320			T320			T640/T1600			
	Built-in	Built-in	FPC 1	FPC 2	FPC 1	FPC 2	FPC 3	FPC 1	FPC 2	FPC 3	FPC 1	FPC 2	FPC 3	FPC 1	FPC 2	FPC 3	FPC 4
<b>Ethernet IQ PICs</b>																	
1-Gigabit Ethernet IQ, 1-port SFP	•	•	•		•			•			•			•			
1-Gigabit Ethernet IQ, 2-port SFP				•		•			•			•			•		
<b>Ethernet IQ2 PICs</b>																	
1-Gigabit Ethernet IQ2, 4-port SFP oversubscription	•	•	•		•			•			•			•			
1-Gigabit Ethernet IQ2, 8-port SFP oversubscription				•		•			•			•			•		
1-Gigabit Ethernet IQ2, 8-port SFP line rate							•			•			•			•	
10-Gigabit Ethernet IQ2, 1-port XFP line rate							•			•			•			•	
<b>ATM2 IQ PICs</b>																	
E3 IQ, 2-port	•	•															
DS3 IQ, 4-port	•	•	•		•			•			•			•			
E3 IQ, 4-port			•		•			•			•			•			
OC-3/STM-1 IQ, 2-port	•	•	•		•			•			•			•			
OC-12/STM-4 IQ, 1-port	•	•	•		•			•			•			•			
OC-12/STM-4 IQ, 2-port				•		•			•			•			•		
OC-48/STM-16 IQ, 1-port				•		•			•			•			•		
<b>Channelized IQ PICs</b>																	
ChE1, IQ, 10-port	•	•	•		•			•									
ChT1, IQ, 10-port	•	•	•		•			•									
ChDS3 IQ, 4-port	•	•	•		•			•			•			•			
ChOC3 IQ, 1-port	•	•	•		•			•			•			•			
ChSTM-1 IQ, 1-port	•	•	•		•			•			•			•			
ChOC-12 IQ, 1-port	•	•	•		•			•			•			•			
<b>Non-Channelized PDH PICs</b>																	
T1, 4-port	•	•	•		•			•									
E1, 4-port	•	•	•		•			•									
DS3, 2-port	•	•															
DS3, 4-port			•		•			•			•			•			
E3, 2-port	•	•															
E3 IQ, 4-port			•		•			•			•			•			

PIC Type	M7i	M10i	M40e		M120			M320			T320			T640/T1600			
	Built-in	Built-in	FPC 1	FPC 2	FPC 1	FPC 2	FPC 3	FPC 1	FPC 2	FPC 3	FPC 1	FPC 2	FPC 3	FPC 1	FPC 2	FPC 3	FPC 4
<b>Serial PICs</b>																	
EIA-530, 2-port	•	•	•		•												
<b>Services PICs</b>																	
Encryption Services (ES)	•	•	•		•			•			•			•			
Monitoring Services II								•			•			•			
Monitoring Services III									•			•			•		
Multi Services 100	•	•	•		•			•			•			•			
Multi Services 400						•			•			•			•		
Multi Services 500				•			•			•			•			•	
Link Services PIC, 4 ML bundles	•	•	•					•									
Link Services PIC, 32 ML bundles	•	•	•					•									
Link Services PIC, 128 ML bundles	•	•	•					•									
Tunnel PIC type 1	•	•	•		•			•			•			•			
Tunnel PIC type 2				•		•			•			•			•		
Tunnel PIC type 3							•			•			•			•	
Tunnel PIC type 4																	•

For more information, and details about PIC support on specific FPC hardware revision, please consult the PIC guide of the related platform:

- M-series Platforms: <http://www.juniper.net/techpubs/hardware/m-series.html>
- T-series Platforms: <http://www.juniper.net/techpubs/hardware/t-series.html>

## About Juniper Networks

Juniper Networks, Inc. is the leader in high-performance networking. Juniper offers a high-performance network infrastructure that creates a responsive and trusted environment for accelerating the deployment of services and applications over a single network. This fuels high-performance businesses. Additional information can be found at [www.juniper.net](http://www.juniper.net).

To purchase Juniper Networks solutions, please contact your Juniper Networks sales representative at 1-866-298-6428 or authorized reseller.



CORPORATE AND SALES HEADQUARTERS  
Juniper Networks, Inc.  
1194 North Mathilda Avenue  
Sunnyvale, CA 94089 USA  
Phone: 888.JUNIPER (888.586.4737)  
or 408.745.2000  
Fax: 408.745.2100  
[www.juniper.net](http://www.juniper.net)

APAC HEADQUARTERS  
Juniper Networks (Hong Kong)  
26/F, Cityplaza One  
1111 King's Road  
Taikoo Shing, Hong Kong  
Phone: 852.2332.3636  
Fax: 852.2574.7803

EMEA HEADQUARTERS  
Juniper Networks Ireland  
Airside Business Park  
Swords, County Dublin, Ireland  
Phone: 35.31.8903.600  
Fax: 35.31.8903.601

Copyright 2008 Juniper Networks, Inc. All rights reserved. Juniper Networks, the Juniper Networks logo, JUNOS, NetScreen, and ScreenOS are registered trademarks of Juniper Networks, Inc. in the United States and other countries. JUNOSe is a trademark of Juniper Networks, Inc. All other trademarks, service marks, registered trademarks, or registered service marks are the property of their respective owners. Juniper Networks assumes no responsibility for any inaccuracies in this document. Juniper Networks reserves the right to change, modify, transfer, or otherwise revise this publication without notice.